

```

<?xml version="1.0" encoding="iso-8859-1"?>
<!DOCTYPE gear_data_exchange_format SYSTEM "gde_2_6.dtd">
<gear_data_exchange_format version="2.6">
  <gear_data type="gear">
    <gear_id>1</gear_id>
    <section_identification>
      <customer></customer>
      <drawing_number>0.000.0</drawing_number>
      <modification_date>23.01.2019</modification_date>
      <ident_number1>KISSsoft-Entwicklungs-Version      KISSsoft AG      CH-8608
BUBIKON</ident_number1>
      <ident_number2> </ident_number2>
      <ident_number3></ident_number3>
      <ident_list_var_type var_type="Mach_id">CylGearPair 1 (spur gear)</ident_list_var_type>
      <ident_list_var_type var_type="Meas_type">KISSsoft example</ident_list_var_type>
      <processing_status></processing_status>
      <part_name></part_name>
      <serial_number></serial_number>
      <comment></comment>
    </section_identification>
    <section_geometry>
      <basic_data>
        <kind_of_gear>workpiece</kind_of_gear>
        <external_internal>external</external_internal>
        <number_of_teeth>25</number_of_teeth>
        <normal_module>6.0000</normal_module>
        <pressure_angle flank="both">20.0000</pressure_angle>
        <helix_angle direction="straight" flank="both">0.0000</helix_angle>
        <reference_diameter flank="both">150.0000</reference_diameter>
        <base_diameter flank="both">140.9539</base_diameter>
        <facewidth>44.0000</facewidth>
        <tooth_thickness_normal_pitch_dia>10.5015</tooth_thickness_normal_pitch_dia>
        <pin_diameter>11.0000</pin_diameter>
        <ball_diameter>11.0000</ball_diameter>
        <size_over_pins>168.5922</size_over_pins>
        <size_over_balls>168.5922</size_over_balls>
        <size_over_one_ball>84.4519</size_over_one_ball>
        <spanned_teeth>4.0000</spanned_teeth>
        <span_size>65.1155</span_size>
        <profile_shift_coefficient>0.2485</profile_shift_coefficient>
        <tip_diameter position="0.0">164.9820</tip_diameter>
        <tip_form_diameter position="0.0">164.9820</tip_form_diameter>
        <root_diameter position="0.0">137.9820</root_diameter>
        <root_form_diameter position="0.0">143.1428</root_form_diameter>
      </basic_data>
      <modification>
      </modification>
      <tolerance>
        <size_tolerances>
          <tip_dia_tol>
            <tol_upper>0.0000</tol_upper>
            <tol_lower>-0.1000</tol_lower>
          </tip_dia_tol>
          <root_dia_tol>
            <tol_upper>-0.2610</tol_upper>
            <tol_lower>-0.3984</tol_lower>
          </root_dia_tol>
          <tooth_thickness_tol>
            <tol_upper>-0.0950</tol_upper>
            <tol_lower>-0.1450</tol_lower>
          </tooth_thickness_tol>
          <size_over_pins_tol>
            <tol_upper>-0.1982</tol_upper>
            <tol_lower>-0.3028</tol_lower>
          </size_over_pins_tol>
          <size_over_balls_tol>
            <tol_upper>-0.1982</tol_upper>
            <tol_lower>-0.3028</tol_lower>
          </size_over_balls_tol>
          <size_over_one_ball_tol>
            <tol_upper>-0.0993</tol_upper>
            <tol_lower>-0.1517</tol_lower>
          </size_over_one_ball_tol>
          <span_size_tol>
            <tol_upper>-0.0893</tol_upper>
            <tol_lower>-0.1363</tol_lower>
          </span_size_tol>
        </size_tolerances>
      </tolerance>
    </section_geometry>
  </gear_data>
</gear_data_exchange_format>

```

```

    </span_size_tol>
  </size_tolerances>
  <flank_tolerances flank="left">
    <accuracy_grade_standard>ISO_1328_1995</accuracy_grade_standard>
    <profile_tolerances>
      <profile_total_tol>
        <tol_upper>0.0150</tol_upper>
        <tol_lower>0</tol_lower>
        <grade>6</grade>
      </profile_total_tol>
      <profile_slope_tol>
        <tol_upper>0.0095</tol_upper>
        <tol_lower>-0.0095</tol_lower>
        <grade>6</grade>
      </profile_slope_tol>
      <profile_form_tol>
        <tol_upper>0.0120</tol_upper>
        <grade>6</grade>
      </profile_form_tol>
      <profile_k_chart>
        <profile_k_chart_upper_roll_length>
          <set>
            <l1>12.0871</l1><e1>0.0000</e1>
            <l2>27.4319</l2><e2>0.0000</e2>
          </set>
          <set>
            <l1>27.4319</l1><e1>0.0000</e1>
            <l2>27.4627</l2><e2>0.0000</e2>
          </set>
          <set>
            <l1>27.4627</l1><e1>0.0000</e1>
            <l2>42.8692</l2><e2>0.0000</e2>
          </set>
        </profile_k_chart_upper_roll_length>
        <profile_k_chart_lower_roll_length>
          <set>
            <l1>12.0871</l1><e1>-0.0150</e1>
            <l2>27.4319</l2><e2>-0.0075</e2>
          </set>
          <set>
            <l1>27.4319</l1><e1>-0.0075</e1>
            <l2>27.4627</l2><e2>-0.0075</e2>
          </set>
          <set>
            <l1>27.4627</l1><e1>-0.0075</e1>
            <l2>42.8692</l2><e2>-0.0150</e2>
          </set>
        </profile_k_chart_lower_roll_length>
      </profile_k_chart>
    </profile_tolerances>
    <helix_tolerances>
      <helix_total_tol>
        <tol_upper>0.0150</tol_upper>
        <tol_lower>0</tol_lower>
        <grade>6</grade>
      </helix_total_tol>
      <helix_slope_tol>
        <tol_upper>0.0100</tol_upper>
        <tol_lower>-0.0100</tol_lower>
        <grade>6</grade>
      </helix_slope_tol>
      <helix_form_tol>
        <tol_upper>0.0100</tol_upper>
        <grade>6</grade>
      </helix_form_tol>
      <helix_k_chart>
        <helix_k_chart_upper>
          <set>
            <l1>-22.0000</l1><e1>0.0000</e1>
            <l2>-0.0661</l2><e2>0.0000</e2>
          </set>
          <set>
            <l1>-0.0661</l1><e1>0.0000</e1>
            <l2>-0.0220</l2><e2>0.0000</e2>
          </set>
          <set>
            <l1>-0.0220</l1><e1>0.0000</e1>
            <l2>-0.0220</l2><e2>0.0000</e2>
          </set>
        </helix_k_chart_upper>
      </helix_k_chart>
    </helix_tolerances>
  </flank_tolerances>

```

```

        <11>-0.0220</11><e1>0.0000</e1>
        <12>22.0000</12><e2>0.0000</e2>
    </set>
</helix_k_chart_upper>
<helix_k_chart_lower>
    <set>
        <11>-22.0000</11><e1>-0.0150</e1>
        <12>-0.0661</12><e2>-0.0075</e2>
    </set>
    <set>
        <11>-0.0661</11><e1>-0.0075</e1>
        <12>-0.0220</12><e2>-0.0075</e2>
    </set>
    <set>
        <11>-0.0220</11><e1>-0.0075</e1>
        <12>22.0000</12><e2>-0.0150</e2>
    </set>
</helix_k_chart_lower>
</helix_k_chart>
</helix_tolerances>
<runout_tol>
    <tol_upper>0.0290</tol_upper>
    <grade>6</grade>
</runout_tol>
<pitch_total_tol>
    <tol_upper>0.0360</tol_upper>
    <grade>6</grade>
</pitch_total_tol>
<pitch_single_tol>
    <tol_upper>0.0100</tol_upper>
    <grade>6</grade>
</pitch_single_tol>
<pitch_tooth_to_tooth_tol>
    <tol_upper>0.0000</tol_upper>
    <grade>6</grade>
</pitch_tooth_to_tooth_tol>
<pitch_sector_tol teeth in span="8">
    <tol_upper>0.0170</tol_upper>
    <grade>6</grade>
</pitch_sector_tol>
<tooth_thickness_variation_tol>
    <tol_upper>0.0150</tol_upper>
    <grade>6</grade>
</tooth_thickness_variation_tol>
<single_flank_total_composite_tol>
    <tol_upper>0.0570</tol_upper>
    <grade>6</grade>
</single_flank_total_composite_tol>
<single_flank_tooth_to_tooth_composite_tol>
    <tol_upper>0.0210</tol_upper>
    <grade>6</grade>
</single_flank_tooth_to_tooth_composite_tol>
<double_flank_total_composite_tol>
    <tol_upper>0.0510</tol_upper>
    <grade>6</grade>
</double_flank_total_composite_tol>
<double_flank_tooth_to_tooth_composite_tol>
    <tol_upper>0.0220</tol_upper>
    <grade>6</grade>
</double_flank_tooth_to_tooth_composite_tol>
</flank_tolerances>
<flank_tolerances flank="right">
    <accuracy_grade_standard>ISO_1328_1995</accuracy_grade_standard>
    <profile_tolerances>
        <profile_total_tol>
            <tol_upper>0.0150</tol_upper>
            <tol_lower>0</tol_lower>
            <grade>6</grade>
        </profile_total_tol>
        <profile_slope_tol>
            <tol_upper>0.0095</tol_upper>
            <tol_lower>-0.0095</tol_lower>
            <grade>6</grade>
        </profile_slope_tol>
        <profile_form_tol>
            <tol_upper>0.0120</tol_upper>

```

```

<grade>6</grade>
</profile_form_tol>
<profile_k_chart>
  <profile_k_chart_upper_roll_length>
    <set>
      <l1>12.0871</l1><e1>0.0000</e1>
      <l2>27.4319</l2><e2>0.0000</e2>
    </set>
    <set>
      <l1>27.4319</l1><e1>0.0000</e1>
      <l2>27.4627</l2><e2>0.0000</e2>
    </set>
    <set>
      <l1>27.4627</l1><e1>0.0000</e1>
      <l2>42.8692</l2><e2>0.0000</e2>
    </set>
  </profile_k_chart_upper_roll_length>
  <profile_k_chart_lower_roll_length>
    <set>
      <l1>12.0871</l1><e1>-0.0150</e1>
      <l2>27.4319</l2><e2>-0.0075</e2>
    </set>
    <set>
      <l1>27.4319</l1><e1>-0.0075</e1>
      <l2>27.4627</l2><e2>-0.0075</e2>
    </set>
    <set>
      <l1>27.4627</l1><e1>-0.0075</e1>
      <l2>42.8692</l2><e2>-0.0150</e2>
    </set>
  </profile_k_chart_lower_roll_length>
</profile_k_chart>
</profile_tolerances>
<helix_tolerances>
  <helix_total_tol>
    <tol_upper>0.0150</tol_upper>
    <tol_lower>0</tol_lower>
    <grade>6</grade>
  </helix_total_tol>
  <helix_slope_tol>
    <tol_upper>0.0100</tol_upper>
    <tol_lower>-0.0100</tol_lower>
    <grade>6</grade>
  </helix_slope_tol>
  <helix_form_tol>
    <tol_upper>0.0100</tol_upper>
    <grade>6</grade>
  </helix_form_tol>
  <helix_k_chart>
    <helix_k_chart_upper>
      <set>
        <l1>-22.0000</l1><e1>0.0000</e1>
        <l2>-0.0661</l2><e2>0.0000</e2>
      </set>
      <set>
        <l1>-0.0661</l1><e1>0.0000</e1>
        <l2>-0.0220</l2><e2>0.0000</e2>
      </set>
      <set>
        <l1>-0.0220</l1><e1>0.0000</e1>
        <l2>22.0000</l2><e2>0.0000</e2>
      </set>
    </helix_k_chart_upper>
    <helix_k_chart_lower>
      <set>
        <l1>-22.0000</l1><e1>-0.0150</e1>
        <l2>-0.0661</l2><e2>-0.0075</e2>
      </set>
      <set>
        <l1>-0.0661</l1><e1>-0.0075</e1>
        <l2>-0.0220</l2><e2>-0.0075</e2>
      </set>
      <set>
        <l1>-0.0220</l1><e1>-0.0075</e1>
        <l2>22.0000</l2><e2>-0.0150</e2>
      </set>
    </helix_k_chart_lower>
  </helix_k_chart>

```

```

        </helix_k_chart_lower>
    </helix_k_chart>
</helix_tolerances>
<runout_tol>
    <tol_upper>0.0290</tol_upper>
    <grade>6</grade>
</runout_tol>
<pitch_total_tol>
    <tol_upper>0.0360</tol_upper>
    <grade>6</grade>
</pitch_total_tol>
<pitch_single_tol>
    <tol_upper>0.0100</tol_upper>
    <grade>6</grade>
</pitch_single_tol>
<pitch_tooth_to_tooth_tol>
    <tol_upper>0.0000</tol_upper>
    <grade>6</grade>
</pitch_tooth_to_tooth_tol>
<pitch_sector_tol_teeth_in_span="8">
    <tol_upper>0.0170</tol_upper>
    <grade>6</grade>
</pitch_sector_tol>
<tooth_thickness_variation_tol>
    <tol_upper>0.0150</tol_upper>
    <grade>6</grade>
</tooth_thickness_variation_tol>
<single_flank_total_composite_tol>
    <tol_upper>0.0570</tol_upper>
    <grade>6</grade>
</single_flank_total_composite_tol>
<single_flank_tooth_to_tooth_composite_tol>
    <tol_upper>0.0210</tol_upper>
    <grade>6</grade>
</single_flank_tooth_to_tooth_composite_tol>
<double_flank_total_composite_tol>
    <tol_upper>0.0510</tol_upper>
    <grade>6</grade>
</double_flank_total_composite_tol>
<double_flank_tooth_to_tooth_composite_tol>
    <tol_upper>0.0220</tol_upper>
    <grade>6</grade>
</double_flank_tooth_to_tooth_composite_tol>
</flank_tolerances>
</tolerance>
</section_geometry>
<section_inspection>
</section_inspection>
</gear_data>
<gear_data type="gear">
    <gear_id>2</gear_id>
    <section_identification>
        <customer></customer>
        <drawing_number>0.000.0</drawing_number>
        <modification_date>23.01.2019</modification_date>
        <ident_number1>KISSsoft-Entwicklungs-Version      KISSsoft AG      CH-8608
BUBIKON</ident_number1>
        <ident_number2> </ident_number2>
        <ident_number3></ident_number3>
        <ident_list_var_type var_type="Mach_id">CylGearPair 1 (spur gear)</ident_list_var_type>
        <ident_list_var_type var_type="Meas_type">KISSsoft example</ident_list_var_type>
        <processing_status></processing_status>
        <part_name></part_name>
        <serial_number></serial_number>
        <comment></comment>
    </section_identification>
    <section_geometry>
        <basic_data>
            <kind_of_gear>workpiece</kind_of_gear>
            <external_internal>external</external_internal>
            <number_of_teeth>76</number_of_teeth>
            <normal_module>6.0000</normal_module>
            <pressure_angle flank="both">20.0000</pressure_angle>
            <helix_angle direction="straight" flank="both">0.0000</helix_angle>
            <reference_diameter flank="both">456.0000</reference_diameter>
            <base_diameter flank="both">428.4998</base_diameter>

```

```

<facewidth>44.0000</facewidth>
<tooth_thickness_normal_pitch_dia>8.3390</tooth_thickness_normal_pitch_dia>
<pin_diameter>10.0000</pin_diameter>
<ball_diameter>10.0000</ball_diameter>
<size_over_pins>466.3606</size_over_pins>
<size_over_balls>466.3606</size_over_balls>
<size_over_one_ball>233.1803</size_over_one_ball>
<spanned_teeth>8.0000</spanned_teeth>
<span_size>138.2125</span_size>
<profile_shift_coefficient>-0.2485</profile_shift_coefficient>
<tip_diameter position="0.0">465.0180</tip_diameter>
<tip_form_diameter position="0.0">465.0180</tip_form_diameter>
<root_diameter position="0.0">438.0180</root_diameter>
<root_form_diameter position="0.0">442.9351</root_form_diameter>
</basic_data>
<modification>
</modification>
<tolerance>
  <size_tolerances>
    <tip_dia_tol>
      <tol_upper>0.0000</tol_upper>
      <tol_lower>-0.1000</tol_lower>
    </tip_dia_tol>
    <root_dia_tol>
      <tol_upper>-0.3572</tol_upper>
      <tol_lower>-0.5220</tol_lower>
    </root_dia_tol>
    <tooth_thickness_tol>
      <tol_upper>-0.1300</tol_upper>
      <tol_lower>-0.1900</tol_lower>
    </tooth_thickness_tol>
    <size_over_pins_tol>
      <tol_upper>-0.3561</tol_upper>
      <tol_lower>-0.5212</tol_lower>
    </size_over_pins_tol>
    <size_over_balls_tol>
      <tol_upper>-0.3561</tol_upper>
      <tol_lower>-0.5212</tol_lower>
    </size_over_balls_tol>
    <size_over_one_ball_tol>
      <tol_upper>-0.1780</tol_upper>
      <tol_lower>-0.2606</tol_lower>
    </size_over_one_ball_tol>
    <span_size_tol>
      <tol_upper>-0.1222</tol_upper>
      <tol_lower>-0.1785</tol_lower>
    </span_size_tol>
  </size_tolerances>
  <flank_tolerances flank="left">
    <accuracy_grade_standard>ISO_1328_1995</accuracy_grade_standard>
    <profile_tolerances>
      <profile_total_tol>
        <tol_upper>0.0170</tol_upper>
        <tol_lower>0</tol_lower>
        <grade>6</grade>
      </profile_total_tol>
      <profile_slope_tol>
        <tol_upper>0.0110</tol_upper>
        <tol_lower>-0.0110</tol_lower>
        <grade>6</grade>
      </profile_slope_tol>
      <profile_form_tol>
        <tol_upper>0.0130</tol_upper>
        <grade>6</grade>
      </profile_form_tol>
      <profile_k_chart>
        <profile_k_chart_upper_roll_length>
          <set>
            <l1>55.5568</l1><e1>0.0000</e1>
            <l2>72.8854</l2><e2>0.0000</e2>
          </set>
          <set>
            <l1>72.8854</l1><e1>0.0000</e1>
            <l2>72.9202</l2><e2>0.0000</e2>
          </set>
          <set>
          </set>
        </profile_k_chart_upper_roll_length>
      </profile_k_chart>
    </profile_tolerances>
  </flank_tolerances>
</tolerance>

```

```

        <l1>72.9202</l1><e1>0.0000</e1>
        <l2>90.3184</l2><e2>0.0000</e2>
    </set>
</profile_k_chart_upper_roll_length>
<profile_k_chart_lower_roll_length>
    <set>
        <l1>55.5568</l1><e1>-0.0170</e1>
        <l2>72.8854</l2><e2>-0.0085</e2>
    </set>
    <set>
        <l1>72.8854</l1><e1>-0.0085</e1>
        <l2>72.9202</l2><e2>-0.0085</e2>
    </set>
    <set>
        <l1>72.9202</l1><e1>-0.0085</e1>
        <l2>90.3184</l2><e2>-0.0170</e2>
    </set>
</profile_k_chart_lower_roll_length>
</profile_k_chart>
</profile_tolerances>
<helix_tolerances>
    <helix_total_tol>
        <tol_upper>0.0150</tol_upper>
        <tol_lower>0</tol_lower>
        <grade>6</grade>
    </helix_total_tol>
    <helix_slope_tol>
        <tol_upper>0.0110</tol_upper>
        <tol_lower>-0.0110</tol_lower>
        <grade>6</grade>
    </helix_slope_tol>
    <helix_form_tol>
        <tol_upper>0.0110</tol_upper>
        <grade>6</grade>
    </helix_form_tol>
    <helix_k_chart_upper>
        <set>
            <l1>-22.0000</l1><e1>0.0000</e1>
            <l2>-0.0661</l2><e2>0.0000</e2>
        </set>
        <set>
            <l1>-0.0661</l1><e1>0.0000</e1>
            <l2>-0.0220</l2><e2>0.0000</e2>
        </set>
        <set>
            <l1>-0.0220</l1><e1>0.0000</e1>
            <l2>22.0000</l2><e2>0.0000</e2>
        </set>
    </helix_k_chart_upper>
    <helix_k_chart_lower>
        <set>
            <l1>-22.0000</l1><e1>-0.0150</e1>
            <l2>-0.0661</l2><e2>-0.0075</e2>
        </set>
        <set>
            <l1>-0.0661</l1><e1>-0.0075</e1>
            <l2>-0.0220</l2><e2>-0.0075</e2>
        </set>
        <set>
            <l1>-0.0220</l1><e1>-0.0075</e1>
            <l2>22.0000</l2><e2>-0.0150</e2>
        </set>
    </helix_k_chart_lower>
</helix_k_chart>
</helix_tolerances>
<runout_tol>
    <tol_upper>0.0380</tol_upper>
    <grade>6</grade>
</runout_tol>
<pitch_total_tol>
    <tol_upper>0.0470</tol_upper>
    <grade>6</grade>
</pitch_total_tol>
<pitch_single_tol>
    <tol_upper>0.0110</tol_upper>

```

```

    <grade>6</grade>
  </pitch_single_tol>
  <pitch_tooth_to_tooth_tol>
    <tol_upper>0.0000</tol_upper>
    <grade>6</grade>
  </pitch_tooth_to_tooth_tol>
  <pitch_sector_tol_teeth_in_span="8">
    <tol_upper>0.0250</tol_upper>
    <grade>6</grade>
  </pitch_sector_tol>
  <tooth_thickness_variation_tol>
    <tol_upper>0.0160</tol_upper>
    <grade>6</grade>
  </tooth_thickness_variation_tol>
  <single_flank_total_composite_tol>
    <tol_upper>0.0700</tol_upper>
    <grade>6</grade>
  </single_flank_total_composite_tol>
  <single_flank_tooth_to_tooth_composite_tol>
    <tol_upper>0.0230</tol_upper>
    <grade>6</grade>
  </single_flank_tooth_to_tooth_composite_tol>
  <double_flank_total_composite_tol>
    <tol_upper>0.0600</tol_upper>
    <grade>6</grade>
  </double_flank_total_composite_tol>
  <double_flank_tooth_to_tooth_composite_tol>
    <tol_upper>0.0220</tol_upper>
    <grade>6</grade>
  </double_flank_tooth_to_tooth_composite_tol>
</flank_tolerances>
<flank_tolerances flank="right">
  <accuracy_grade_standard>ISO_1328_1995</accuracy_grade_standard>
  <profile_tolerances>
    <profile_total_tol>
      <tol_upper>0.0170</tol_upper>
      <tol_lower>0</tol_lower>
      <grade>6</grade>
    </profile_total_tol>
    <profile_slope_tol>
      <tol_upper>0.0110</tol_upper>
      <tol_lower>-0.0110</tol_lower>
      <grade>6</grade>
    </profile_slope_tol>
    <profile_form_tol>
      <tol_upper>0.0130</tol_upper>
      <grade>6</grade>
    </profile_form_tol>
    <profile_k_chart>
      <profile_k_chart_upper_roll_length>
        <set>
          <l1>55.5568</l1><e1>0.0000</e1>
          <l2>72.8854</l2><e2>0.0000</e2>
        </set>
        <set>
          <l1>72.8854</l1><e1>0.0000</e1>
          <l2>72.9202</l2><e2>0.0000</e2>
        </set>
        <set>
          <l1>72.9202</l1><e1>0.0000</e1>
          <l2>90.3184</l2><e2>0.0000</e2>
        </set>
      </profile_k_chart_upper_roll_length>
      <profile_k_chart_lower_roll_length>
        <set>
          <l1>55.5568</l1><e1>-0.0170</e1>
          <l2>72.8854</l2><e2>-0.0085</e2>
        </set>
        <set>
          <l1>72.8854</l1><e1>-0.0085</e1>
          <l2>72.9202</l2><e2>-0.0085</e2>
        </set>
        <set>
          <l1>72.9202</l1><e1>-0.0085</e1>
          <l2>90.3184</l2><e2>-0.0170</e2>
        </set>
      </profile_k_chart_lower_roll_length>
    </profile_k_chart>
  </profile_tolerances>
</flank_tolerances>

```



```

    </profile_k_chart_lower_roll_length>
  </profile_k_chart>
</profile_tolerances>
<helix_tolerances>
  <helix_total_tol>
    <tol_upper>0.0150</tol_upper>
    <tol_lower>0</tol_lower>
    <grade>6</grade>
  </helix_total_tol>
  <helix_slope_tol>
    <tol_upper>0.0110</tol_upper>
    <tol_lower>-0.0110</tol_lower>
    <grade>6</grade>
  </helix_slope_tol>
  <helix_form_tol>
    <tol_upper>0.0110</tol_upper>
    <grade>6</grade>
  </helix_form_tol>
  <helix_k_chart>
    <helix_k_chart_upper>
      <set>
        <l1>-22.0000</l1><e1>0.0000</e1>
        <l2>-0.0661</l2><e2>0.0000</e2>
      </set>
      <set>
        <l1>-0.0661</l1><e1>0.0000</e1>
        <l2>-0.0220</l2><e2>0.0000</e2>
      </set>
      <set>
        <l1>-0.0220</l1><e1>0.0000</e1>
        <l2>22.0000</l2><e2>0.0000</e2>
      </set>
    </helix_k_chart_upper>
    <helix_k_chart_lower>
      <set>
        <l1>-22.0000</l1><e1>-0.0150</e1>
        <l2>-0.0661</l2><e2>-0.0075</e2>
      </set>
      <set>
        <l1>-0.0661</l1><e1>-0.0075</e1>
        <l2>-0.0220</l2><e2>-0.0075</e2>
      </set>
      <set>
        <l1>-0.0220</l1><e1>-0.0075</e1>
        <l2>22.0000</l2><e2>-0.0150</e2>
      </set>
    </helix_k_chart_lower>
  </helix_k_chart>
</helix_tolerances>
<runout_tol>
  <tol_upper>0.0380</tol_upper>
  <grade>6</grade>
</runout_tol>
<pitch_total_tol>
  <tol_upper>0.0470</tol_upper>
  <grade>6</grade>
</pitch_total_tol>
<pitch_single_tol>
  <tol_upper>0.0110</tol_upper>
  <grade>6</grade>
</pitch_single_tol>
<pitch_tooth_to_tooth_tol>
  <tol_upper>0.0000</tol_upper>
  <grade>6</grade>
</pitch_tooth_to_tooth_tol>
<pitch_sector_tol teeth_in_span="8">
  <tol_upper>0.0250</tol_upper>
  <grade>6</grade>
</pitch_sector_tol>
<tooth_thickness_variation_tol>
  <tol_upper>0.0160</tol_upper>
  <grade>6</grade>
</tooth_thickness_variation_tol>
<single_flank_total_composite_tol>
  <tol_upper>0.0700</tol_upper>
  <grade>6</grade>

```

```
</single_flank_total_composite_tol>
<single_flank_tooth_to_tooth_composite_tol>
  <tol_upper>0.0230</tol_upper>
  <grade>6</grade>
</single_flank_tooth_to_tooth_composite_tol>
<double_flank_total_composite_tol>
  <tol_upper>0.0600</tol_upper>
  <grade>6</grade>
</double_flank_total_composite_tol>
<double_flank_tooth_to_tooth_composite_tol>
  <tol_upper>0.0220</tol_upper>
  <grade>6</grade>
</double_flank_tooth_to_tooth_composite_tol>
</flank_tolerances>
</tolerance>
</section_geometry>
<section_inspection>
</section_inspection>
</gear_data>
</gear_data_exchange_format>
```